L Number	Hits	Search Text	DB	Time stamp
19	5888	((709/223) or (709/224)).CCLS.	USPAT;	2004/11/04 13:39
ļ			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
20	535	(711/158).CCLS.	USPAT;	2004/11/04 13:40
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	İ
21	1	(((709/223) or (709/224)).CCLS.) and	USPAT;	2004/11/04 13:40
	_	((711/158).CCLS.)	US-PGPUB;	2001,11,01 13.10
			EPO; JPO;	ļ:
			DERWENT;	
			IBM_TDB	
22	388	(711/136).CCLS.	USPAT;	2004/11/04 13:40
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
23	911	((711/136) or (711/158)).CCLS.	IBM_TDB USPAT;	2004/11/04 13:40
23	911	((,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	2004/11/04 13:40
		·	EPO; JPO;	
		·	DERWENT;	
,			IBM TDB	
24	3	(((709/223) or (709/224)).CCLS.) and	USPAT;	2004/11/04 13:41
		(((711/136) or (711/158)).CCLS.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2	("5840365").PN.	IBM_TDB	2004/11/02 14 07
-		(J040303).FN.	USPAT; US-PGPUB;	2004/11/03 14:07
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	("5740365").PN.	USPĀT;	2004/11/03 14:51
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
_	59	((chang\$6 alter\$5) near3 cache\$5) with	IBM_TDB USPAT;	2004/11/03 14:53
]		(cach\$5 near9 (priorit\$5 rank\$5))	US-PGPUB;	2004/11/03 14:33
		(FILLE OF COMMITTEE)	EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
-	4	(chang\$6 alter\$5) near3 (server\$3 near	USPĀT;	2004/11/03 14:53
,		cache\$5) with (cach\$5 near9 (priorit\$5	US-PGPUB;	
]		rank\$5))	EPO; JPO;	
			DERWENT; IBM TDB	
] _	59	(chang\$6 alter\$5) near3 (cache\$5) with	USPAT;	2004/11/03 14:58
		(cach\$5 near9 (priorit\$5 rank\$5))	US-PGPUB;	5004/11/02 14:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	((chang\$6 alter\$5) near3 (cache\$5) with	USPĀT;	2004/11/03 14:55
		(cach\$5 near9 (priorit\$5 rank\$5))) and	US-PGPUB;	
		709/\$.ccls.	EPO; JPO;	
			DERWENT;	
_	26	(((chang\$6 alter\$5 modif\$9 updat\$9) near3	IBM_TDB USPAT;	2004/11/03 15:25
		cache\$5) with (cach\$5 near9 (priorit\$5	US-PGPUB;	2004/11/03 13:23
		rank\$5))) and 709/\$.ccls.	EPO; JPO;	
	ļ		DERWENT;	i
			IBM_TDB	
-	1	(chang\$6 alter\$5 modif\$9 updat\$9) and	USPĀT;	2004/11/03 15:00
		5892917.pn.	US-PGPUB;	
			EPO; JPO;	
	j		DERWENT;	
l,l			IBM TDB	

-	25	(((chang\$6 alter\$5 modif\$9 updat\$9) near3	USPAT;	2004/11/03 15:36
		cache\$5) near9 (priorit\$5 rank\$5)) and	US-PGPUB;	
		709/\$.ccls.	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	5	(((chang\$6 alter\$5 modif\$9 updat\$9) near3	USPAT;	2004/11/03 15:33
		(server\$5 web) near cache\$5) near9	US-PGPUB;	
		(priorit\$5 rank\$5)) and 709/\$.ccls.	EPO; JPO;	
			DERWENT;	· .
	_		IBM_TDB	
-	5	(((),	USPAT;	2004/11/03 15:35
		(server\$5 web) near cache\$5) near9	US-PGPUB;	
		(priorit\$5 rank\$5)) and (707/\$	EPO; JPO;	
		709/\$).ccls.	DERWENT;	
	116	/// 1 06 31 05 11600 11001	IBM_TDB	0001/44/00 45 50
_	116	(((chang\$6 alter\$5 modif\$9 updat\$9) near3	USPAT;	2004/11/03 15:50
		cache\$5) near9 (priorit\$5 rank\$5)) and	US-PGPUB;	
		@ad<20010501	EPO; JPO;	
			DERWENT;	
	8	//UCAGEGETU\	IBM_TDB	0004/11/02 15 27
-	8	(("6425057") or ("6415368") or ("6266742") or ("6012126")).PN.	USPAT;	2004/11/03 15:37
		Of (6012126)).PN.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	((chang\$6 alter\$5 modif\$9 updat\$9) near3	IBM_TDB USPAT;	2004/11/02 15.51
-		cache\$5) and 6415368.pn.	US-PGPUB;	2004/11/03 15:51
		cachess) and 6415366.ph.	EPO; JPO;	
		·	DERWENT;	<u> </u>
			IBM TDB	
_	1	((chang\$6 alter\$5 modif\$9 updat\$9) with	USPAT;	2004/11/02 16-15
		cache\$5) and 6415368.pn.	US-PGPUB;	2004/11/03 16:15
		cachequy and 0410300.pm.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	0	((chang\$6 alter\$5 modif\$9 updat\$9) with	USPAT;	2004/11/03 16:27
		(rank\$5 prior\$9)) and 6415368.pn.	US-PGPUB;	2004/11/05 10.27
		(ramato priorty), and otiosoo.pn.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	93	'cache priority'	USPAT;	2004/11/03 16:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	'cache priority' with recency	USPAT;	2004/11/03 16:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	cache near9 priorit\$6 with recency	USPAT;	2004/11/03 16:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	0004/11/00 == =
-	24	user near (favor\$9 preference\$3) near web	USPAT;	2004/11/03 17:06
		near page\$3	US-PGPUB;	
	[EPO; JPO;	
	[DERWENT;	
l _	235	(reload\$3 re-load\$5) near9 refresh\$5	IBM_TDB	2004/11/02 17 12
	235	(rerognés re-rognés) Hégis Léllesués	USPAT;	2004/11/03 17:10
· ·	[US-PGPUB;	
		,	EPO; JPO; DERWENT;	
			IBM TDB	
l _	749	(reload\$3 re-load\$5) near9 (replace\$5)	USPAT;	2004/11/03 17:10
	'3	(11110040 10 TOUGHO) HEATS (TENTACEAS)	US-PGPUB;	2004/11/03 17:10
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	L		~	

184					
- 282 (id identif\$9 count\$3) near3 last near3 (be page\$3) - 206 (id identif\$9) near3 last near3 (web page\$3) - 206 (id identif\$9) near3 last near3 (web page\$3) (be page\$3) - 7 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 8 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 9 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 10 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 11 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 12 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 13 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 14 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 15 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 16 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)] - 16 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)] - 17 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)] - 18 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)] - 18 (id identif\$9) near3 last near3 (web near (document\$6 page\$3)] - 18 (id identif\$9) near3 last near3 (web near page\$3) - 19 (id identif\$9) near3 last near3 (web near page\$3) and near (document\$6 page\$3)] - 19 (id identif\$9) near3 web near page\$3 and near4 (number\$5 total\$3) near3 web near page\$3) and near4 (number\$5 total\$3) near4 (number\$5 total\$3) near5 web near page\$3) and near5 page\$3 near5 page\$3 and near5 page\$3 page\$3 page\$3 page\$3 page\$3 page\$3	-	184	((reload\$3 re-load\$5) near9 (replace\$5)) and (70?/\$ 71?/\$).ccls.		2004/11/03 17:16
18M TOB USFAT:			4.007,4 727,47.00201	EPO; JPO;	
- 282 (id identif\$9 count\$3) near3 last near3 (USPAT: USPAT: USPA				-	
PRO	_	282	(id identif\$9 count\$3) near3 last near3		2004/11/03 17:30
- 206 (id identif\$9) near3 last near3 (web page\$3)			(web page\$3)	N The state of the	
206		j			
Page\$3				· ·	
- (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 2 "20020010625" - 2 "20020010625" - 2 "20020010625" - 3 last near3 n near3 web near2 page\$3 - 5 last near3 n near3 web near2 page\$3 - 253 last near3 web near2 page\$3 - 253 last near3 web near2 page\$3 - 42 last near web near page\$3 - 42 last near web near page\$3 - 42 last near web near page\$3 - 41 count\$3 near web near page\$3 and @ad<20010501 - 69 (calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3) and @ad<20010501 - 69 (calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3) and @ad<20010501 - 7	-	206		· - •	2004/11/03 17:30
- 7 (id identif\$9) near3 last near3 (web near (document\$5 content\$5 page\$3)) - 2 "20020010625" - 2 "20020010625" - 2 "20020010625" - 3 last near3 n near3 web near2 page\$3 - 5 last near3 n near3 web near2 page\$3 - 5 last near3 web near2 page\$3 - 253 last near3 web near2 page\$3 - 253 last near3 web near2 page\$3 - 253 last near3 web near2 page\$3 - 254 last near3 web near2 page\$3 - 255 last near3 web near2 page\$3 - 256 last near3 web near2 page\$3 - 257 last near3 web near2 page\$3 - 258 last near3 web near2 page\$3 - 259 last near3 web near2 page\$3 - 25004/11/03 18:19 - 25004/11/03 18:19 - 25004/11/03 18:19 - 25004/11/03 18:19 - 25004/11/03 18:19 - 25004/11/03 18:19 - 25004/11/03 18:19 - 25004/11/03 18:29 - 25004/11/03 18			page\$3)		
Total counts Tota					•
		7	(id identific) near leat near (web		2004/11/02 10-15
SEC) JPC; DERMENT; IEM TOB USPAT; US-PGPUB; EPC) JPC; DERMENT; I	-	·	1 (2004/11/03 18:15
- 2 "20020010625"				EPO; JPO;	
- 2 "20020010625"				1	
S last near3 n near3 web near2 page\$3	_	2	"20020010625"		2004/11/03 17:35
DERMENT: IRM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
1				1	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;				IBM_TDB	
EPO; JPO; DRRWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DRRWENT; I	-	5	last near3 n near3 web near2 page\$3		2004/11/03 18:19
DERMENT; IBM TOB USPAT;					
- 253 last near3 web near2 page\$3 - 254 last near web near page\$3 - 42 last near web near page\$3 - 42 last near web near page\$3 - 43 last near web near page\$3 - 44 last near web near page\$3 - 45 last near web near page\$3 - 46 (last near web near page\$3) and last near l				DERWENT;	
US-PGPUB; EPG; JPC; DERWENT; TEM TDB USPAT; US-PGPUB; EPG; JPC; DERWENT; US-PGPUB; EPG; JPC; DERWENT; TEM TDB USPAT; US-PGPUB; EPG; JPC; DERWENT; US-	_	253	last near3 web near2 nage\$3		2004/11/03 18:19
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT		233	Table Health web Health pages	•	2004/11/03 10.19
A2 last near web near page\$3					
- 42 last near web near page\$3 - 21 (last near web near page\$3) and			·		
- 21 (last near web near page\$3) and (last near near near near near near near near	-	42	last near web near page\$3	USPĀT;	2004/11/03 18:22
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT;					
- 21 (last near web near page\$3) and (USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB				DERWENT;	
### ded<20010501 ### ded<20010501 ### Count\$3 near web near page\$3 ###	_	21	(last near web near nago\$3) and		2004/11/02 10.22
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				· ·	2004/11/03 10:23
- 41 count\$3 near web near page\$3					
- 41 count\$3 near web near page\$3 - 16 (count\$3 near web near page\$3) and (count\$3 near web near page\$3) and (sypar; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 16 (count\$3 near web near page\$3) and (count\$3 near web near page\$3) and (dad<20010501	-	41	count\$3 near web near page\$3		2004/11/03 18:24
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 16 (count\$3 near web near page\$3) and (20010501 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
### Company of the co		1.0	/count 62 moon		0004/11/00 10 55
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;		10	• • • • • • • • • • • • • • • • • • •		2004/11/03 18:25
- 69 (calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3 - 39 ((calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3 uspar; - 39 ((calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3) and (ad<20010501 user near2 surf\$5 near2 habit\$3 near2 uspar; - 0 user near2 surf\$5 near2 habit\$3 near2 information\$3 - 0 user near2 surf\$5 near2 habit\$3 near2 uspar; - 0 user near2 surf\$5 near2 habit\$3 near2 usp				EPO; JPO;	
- 69 (calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3 - 39 ((calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3) and (calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3) and (sad<20010501 - 0 user near2 surf\$5 near2 habit\$3 near2 information\$3 - 0 user near2 surf\$5 near2 habit\$3 near2 information\$3 - 0 user near2 surf\$5 near2 habit\$3 near2 information\$3 - 0 user near2 surf\$5 near2 habit\$3 near2 information\$3				1	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPA	-	69			2004/11/03 18:25
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			total\$3) near3 web near page\$3	i '	
- 39 ((calculat\$5 count\$3) near4 (number\$5 total\$3) near3 web near page\$3) and (BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; Information\$3 USPAT; US-PGPUB; EPO; JPO; DERWENT;					
total\$3) near3 web near page\$3) and (ad<20010501 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				IBM_TDB	
@ad<20010501	_	39	, , , , , , , , , , , , , , , , , , , ,		2004/11/04 11:20
- 0 user near2 surf\$5 near2 habit\$3 near2 USPAT; US-PGPUB; EPO; JPO; DERWENT;				EPO; JPO;	
- 0 user near2 surf\$5 near2 habit\$3 near2 USPAT; 2004/11/04 12:20 information\$3 US-PGPUB; EPO; JPO; DERWENT;			·		
information\$3 US-PGPUB; EPO; JPO; DERWENT;	_	0	user near2 surf\$5 near2 habit\$3 near2		2004/11/04 12:20
DERWENT;		!		US-PGPUB;	

-	4	user near surf\$5 near habit\$3	USPAT;	2004/11/04 12:20
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	<pre>surf\$5 near2 habit\$3 near2 information\$3</pre>	USPAT;	2004/11/04 12:21
			US-PGPUB;	ļ
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- ;	13	(object adj id) with (web)	USPAT;	2004/11/04 13:02
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
ļ -	85	(http adj command) with (url)	USPAT;	2004/11/04 13:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

L Number		Search Text	DB	Time stamp
_	101	(frequenc\$9 with request\$5 with (web html))	USPAT; US-PGPUB;	2004/10/29 11:16
		ircial))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	7	I (mandanasa), mman andanasa, man (man	USPAT;	2004/10/28 17:41
		html)) and (cach\$5 near9 (priorit\$9	US-PGPUB;	
		rank\$5))	EPO; JPO; DERWENT;	
			IBM TDB	
_	1034	((frequenc\$9 hit\$3 number\$5 quantit\$5)	USPAT;	2004/10/28 17:44
		with request\$5) and (cach\$5 near9	US-PGPUB;	
		(priorit\$9 rank\$5))	EPO; JPO;	
			DERWENT; IBM TDB	
_	50	((frequenc\$9 hit\$3 number\$5 quantit\$5)	USPAT;	2004/10/28 17:45
	30	with request\$5 with (web html)) and	US-PGPUB;	2001,10,20 110
		(cach\$5 near9 (priorit\$9 rank\$5))	EPO; JPO;	
			DERWENT;	
	2.0		IBM_TDB	0004/10/00 15 50
_	30	(((frequenc\$9 hit\$3 number\$5 quantit\$5) with request\$5 with (web html)) and	USPAT;	2004/10/28 17:53
		(cach\$5 near9 (priorit\$9 rank\$5))) and	US-PGPUB; EPO; JPO;	
		@ad<20010501	DERWENT;	
	•		IBM TDB	
	0	((USPĀT;	2004/10/28 17:55
	•	(session\$5 near3 id)) and (((frequenc\$9	US-PGPUB;	
		hit\$3 number\$5 quantit\$5) with request\$5	EPO; JPO;	
		<pre>with (web html)) and (cach\$5 near9 (priorit\$9 rank\$5)))</pre>	DERWENT; IBM TDB	
l - .	1.		USPAT;	2004/10/28 17:56
·	_,	hit\$3 number\$5 quantit\$5) with request\$5	US-PGPUB;	
		with (web html)) and (cach\$5 near9	EPO; JPO;	
		(priorit\$9 rank\$5)))	DERWENT;	
	6	(saggiones noons id) and ((fraggiones)	IBM_TDB	2004/10/20 17.56
-	ď	(session\$5 near3 id) and ((frequenc\$9 with request\$5 with (web html)))	USPAT; US-PGPUB;	2004/10/28 17:56
		with request; with (wes hemi))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5892917").PN.	USPAT;	2004/10/29 17:51
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	25	5892917.uref.	USPĀT;	2004/10/29 15:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	16	(("6347312") or ("6324182") or ("6260061")	USPAT;	2004/10/29 15:50
		or ("6243750") or ("6185608") or	US-PGPUB;	111, 31, 21 20.00
		("6101537") or ("6052439") or	EPO; JPO;	
		("6018619")).PN.	DERWENT;	
<u>_</u>	1579	 (access\$5 near3 log) and (hit miss	IBM_TDB USPAT;	2004/10/20 15:52
	13/3	(access\$5 hears log) and (nit miss priori\$9 rank\$3)	USPAT; US-PGPUB;	2004/10/29 15:53
			EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	0004/10/00
_	66	(USPAT;	2004/10/29 15:53
		miss priori\$9 rank\$3))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	66	(USPĀT;	2004/10/29 15:53
		miss priori\$9 rank\$3))	US-PGPUB;	
			EPO; JPO;	
	:		DERWENT;	
			IBM_TDB	

				<u>'</u>
-	43	(access\$5 near3 log) and (cache near8 (hit miss priori\$9 rank\$3)) and @ad<20010501	USPAT; US-PGPUB;	2004/10/29 15:56
			EPO; JPO;	
	•		DERWENT;	
	17	(access = 100) and (access = 100) (bit	IBM_TDB	2004/10/29 16:52
-	1/	(access\$5 near3 log) and (cache near8 (hit miss priori\$9 rank\$3)) and @ad<20010501	USPAT; US-PGPUB;	2004/10/29 16:52
		and ((number\$5 count\$5) near3 (web	EPO; JPO;	
		page\$3))	DERWENT;	
		Page 1077	IBM TDB	
-	24	(("6067565") or ("5881231") or ("6085226")	USPAT;	2004/10/29 17:05
		or ("5727129") or ("5732240") or	US-PGPUB;	
		("5920700") or ("6144962") or ("6026413")	EPO; JPO;	
		or ("5878384") or ("5964839") or	DERWENT;	
	0	("6148332") or ("5935207")).PN.	IBM_TDB	10004/10/00 17-00
-		(identificat\$5 id) near last near web near page\$3	USPAT; US-PGPUB;	2004/10/29 17:09
		Near page 35	EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	113	(identificat\$5 id) near web near page\$3	USPAT;	2004/10/29 17:13
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-		//dambificator id idambiboo bacor)	IBM_TDB	0004/10/00 17 16
ļ [—]	1	(identificat\$5 id identit\$9 tag\$5) near web near page\$3 near number\$3	USPĀT; US-PGPUB;	2004/10/29 17:16
1		web hear pagets hear humberts	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	417	(identificat\$5 id identit\$9 tag\$5) near	USPAT;	2004/10/29 17:17
		(web page\$3 html) near3 (number\$3	US-PGPUB;	
		count\$5)	EPO; JPO;	
			DERWENT;	
l _	279	 (identificat\$5 id identit\$9 tag\$5) near	IBM_TDB USPAT; -	2004/10/29 17:18
	2/3	(web page\$3 html) near (number\$3	US-PGPUB;	2004/10/29 17:10
		count\$5)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((identificat\$5 id identit\$9 tag\$5) near	USPAT;	2004/10/29 17:19
		(web page\$3 html) near (number\$3	US-PGPUB;	
1		count\$5)) with (cach\$5 near9 (priorit\$9 rank\$5))	EPO; JPO;	
		Tanvani	DERWENT; IBM TDB	
-	350	(identificat\$5 id identit\$9 tag\$5) near	USPAT;	2004/10/29 17:19
		web near page\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(//downlife on AF)	IBM_TDB	0004/00/55 55 55
_	3	(\	USPAT;	2004/10/29 17:23
	1	(web page\$3 html) near (number\$3 count\$5)) and (cach\$5 near9 (priorit\$9	US-PGPUB; EPO; JPO;	
		rank\$5))	DERWENT;	
			IBM TDB	
-	144	(track\$9 monitor\$5 detect\$6) with	USPAT;	2004/10/29 18:02
		(session\$5 near3 id)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	l		IBM_TDB	

DOCUMENT-IDENTIFIER: US 20040133563 A1

TITLE: Maintaining independent states for multiple web browser instances

Summary of Invention Paragraph - BSTX (5):

[0004] Proxy servers or user preferences set in a Web browser can prevent the use of cookies. A technique for maintaining a Web browser state, which does not use cookies, is called "URL rewriting". As background, each HTTP
command contains a uniform resource locator ("URL") and optionally some parameters. URL rewriting appends a session identifier ("ID") to every URL contained in a Web page. The session ID identifies a session and thus state information associated with that session. The session ID may be returned to the Web server when a user clicks on any link in the Web page. The Web server uses the session ID to restore the state of the Web page to the browser.

Detail Description Paragraph - DETX (18):

[0041] A user at device 11 accesses the Web page published by Web server software 29 via Web browser 23. When the user clicks on the control feature, a new Web browser window opens. The new Web browser window may be opened using a JavaScript function, such as "window.open()". This function requests a Web page using the Web page URL and a session ID parameter. The request for the Web page is sent from Web browser 23 to server 19 via external network 15. In this embodiment, the request is an <a href="https://example.com/ht



Web Images Groups News Froogle more »

"cache priority" user web frequency usage

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 13 for "cache priority" user web frequency usage. (0.45 seconds)

[PDF] Capacity Bound-free Web Warehouse

File Format: PDF/Adobe Acrobat - View as HTML

... is extra capacity, previous contents of **web** pages can ... A **user** can know the data in the past ... 4.1 CBFWW Objects In conventional **cache**, **priority** information is used ... www-db.cs.wisc.edu/cidr2003/program/p5.pdf - Similar pages

[PDF] Best-Effort Cache Synchronization with Source Cooperation

File Format: PDF/Adobe Acrobat - View as HTML

... Currently, **Web** indexers are unable to maintain anything close to ... or disk I/O's with bursty **user** requests ... on criteria such as importance or **frequency** of access ... www.db.stanford.edu/~olston/publications/bes.pdf - Similar pages

[PS] Best-Effort Cache Synchronization with Source Cooperation

File Format: Adobe PostScript - View as Text

... object refreshed based on the cache's priority using the ... Seventh International World Wide Web Conference, Brisbane ... Expressing user profiles for data recharging. ... www.db.stanford.edu/~olston/publications/bes.ps - Similar pages

[PDF] Logging and Archiving

File Format: PDF/Adobe Acrobat - View as HTML

... system is logged, along with the **user** that performed ... when it changes or with a certain fixed **frequency**. ... Logger Client push push Filtering logic **Web** Client XSLT ... www.eso.org/~almamgr/AlmaAcs/Releases/ ACS_3_1/Docs/Logging_and_Archiving.pdf - <u>Similar pages</u>

[PDF] **User**'s Guide

File Format: PDF/Adobe Acrobat - View as HTML

... 10 DB2 Query Patroller **User**'s Guide Page 19. Hourly Specifies that this query is to be run on a hourly schedule, with the **frequency**, start date, and end date ... support.mdl.ru/Pc_compl/Doc/Db2/v7.1/en/db2wwe70.pdf - Supplemental Result - <u>Similar pages</u>

[PDF] <u>766</u>

File Format: PDF/Adobe Acrobat - View as HTML

... BWS services: • mirror of internet **web** site • traffic ... UHTXHQF\ ,QIRUPDWLRQ),, on which **frequency** which ensemble ... A new **user** application again can provide ... www.ertico.com/activiti/projects/ Doc_Library/Diamond%5C2_2d001f01.pdf - Supplemental Result - <u>Similar pages</u>

[PS] Market-Based Mobile-Agent Planning

File Format: Adobe PostScript - View as Text

... give the agent's data higher **cache priority** for an ... those used to disseminate information over the **web**. ... finding was that variance in **user** preference strengthens ... faculty1.coloradocollege.edu/~ibredin/personal/agents/proposal/prop.ps - Similar pages

Olston, Chris; Widom, Jennifer: Best-Effort Cache Synchronization ...

... sources to measure their true **cache priority**, thereby spot ... Seventh International World Wide **Web** Conference, Brisbane ... Expressing **user** profiles for data recharging ... dbpubs.stanford.edu/pub/2001-43 - 75k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Desktop and Mobile PC Technology Basics Self-paced training

File Format: PDF/Adobe Acrobat - View as HTML

... Displays the display is the PC s primary communication channel to the **user**. ... It synchronises with the host bus **frequency** and then uses a multiplication factor ... www.fpp.uni-lj.si/~rcop/PC-Technology/tb_pc.pdf - <u>Similar pages</u>

[PDF] Ingres r3 Embedded Edition Administrator Guide

File Format: PDF/Adobe Acrobat - View as HTML

... This documentation and related computer software program (hereinafter referred to as the "Documentation") is for the end **user**'s informational purposes ... opensource.ca.com/projects/ingres/ documents/product/ingresr3/embedded/A001941E.pdf - Similar pages

Google >

Result Page: 1 2 Nex

Free! Get the Google Toolbar. Download Now - About Toolbar



"cache priority" user web frequency & Search.

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

Advanced Search

Preferences



Images Groups News Froogle more »

web frequency usage recency Search cache priority

Web

Results 1 - 2 of 2 for "cache priority" web frequency usage recency. (0.27 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] Capacity Bound-free Web Warehouse

File Format: PDF/Adobe Acrobat - View as HTML

... data, since we have to consider usage frequency as well ... 4.1 CBFWW Objects In conventional cache, priority information is ... Web data in a CBFWW can be defined as ... www-db.cs.wisc.edu/cidr2003/program/p5.pdf - Similar pages

[PS] Exploiting Weak Connectivity in a Distributed File System

File Format: Adobe PostScript - View as Text

... driver level, may yield a more accurate picture of network usage, particularly if ... The frequency of acknowledgements, the window size, and the amount of data ... reports-archive.adm.cs.cmu.edu/ anon/1996/CMU-CS-96-195.ps - Similar pages

Free! Get the Google Toolbar. Download Now - About Toolbar

Tablianne name and a section of the	
1	LAA
I f i m m m l m = 1	
	Market Web ▼ Market Search Sea
	Y MSG Search web Y LAW PRODUCED FEI AUTOFILL MAJ Uplions

Search 'cache priority" web frequency usad

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publications/Services Standards Conferences Careers/Jobs



Help FAQ Terms	Welcome United States Patent and Trademark Office Welcome United States Patent and Trademark Office Welcome United States Patent and Trademark Office See See See See See See See See See S
Welcome to IEEE Xplore® - Home - What Can I Access? - Log-out Tables of Contents	Your search matched 0 of 1088345 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order. Refine This Search: You may refine your search by editing the current search expression or entering
 Journals & Magazines Conference Proceedings Standards 	new one in the text box. session <and>monitor*<and>cache Check to search within this result set Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard</and></and>
Search - By Author - Basic - Advanced - CrossRef	Results: No documents matched your query.
Member Services - Join IEEE - Establish IEEE - Web Account - Access the - IEEE Member - Digital Library IEEE Enterprise - Access the - IEEE Enterprise - File Cabinet	
Print Format	

Copyright © 2004 IEEE — All rights reserved

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help. | FAQ | Terms | Back to Top



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

+cache +priority +frequency +recency +track* +session

SEARCH



Feedback Report a problem Satisfaction survey

Published before May 2001
Terms used cache priority frequency recency track session

Found 1 of 111,964

Relevance scale

Sort results by

Display

results

relevance expanded form

Save results to a Binder

Search Tips

Open results in a new

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 1 - 1 of 1

1 Using name-based mappings to increase hit rates

David G. Thaler, Chinya V. Ravishankar

February 1998 IEEE/ACM Transactions on Networking (TON), Volume 6 Issue 1

window

Full text available: pdf(408.98 KB) Additional Information: full citation, references, citings, index terms

Keywords: World Wide Web, caching, client-server systems, computer networks, distributed agreement, multicast routing, proxies

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2004 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library C The Guide

+cache +priority +track* +session

SEARCH



Feedback Report a problem Satisfaction survey

Published before May 2001 Terms used cache priority track session

Found 126 of 111,964

Sort results by

Display

results

relevance

expanded form

Save results to a Binder ? Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 126

Result page: **1** 2 3 4 5 6 7 next

Relevance scale

1 Using name-based mappings to increase hit rates

David G. Thaler, Chinya V. Ravishankar

February 1998 IEEE/ACM Transactions on Networking (TON), Volume 6 Issue 1

Full text available: pdf(408.98 KB) Additional Information: full citation, references, citings, index terms

Keywords: World Wide Web, caching, client-server systems, computer networks, distributed agreement, multicast routing, proxies

2 Exploration of large image collections using virtual reality devices

window

Robert van Liere, Wim de Leeuw

November 1999 Proceedings of the 1999 workshop on new paradigms in information visualization and manipulation in conjunction with the eighth ACM internation conference on Information and knowledge management

Full text available: pdf(480.56 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, index terms

An image browser for the exploration of image collections is described The approach taken is to utilize VR input devices to develop more intuitive interaction metaphors that allow users to navigate through large collections of images. The browser presents query results as a strip of images and interaction with the strip is realized by interpreting the user's head movements. The browser is used as a front end to a visual information retrieval system.

Keywords: information visualization, virtual reality

3 Integrated document caching and prefetching in storage hierarchies based on Markoychain predictions

Achim Kraiss, Gerhard Weikum

August 1998 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 7 Issue 3

Full text available: pdf(603.01 KB) Additional Information: full citation, abstract, citings, index terms

Large multimedia document archives may hold a major fraction of their data in tertiary storage libraries for cost reasons. This paper develops an integrated approach to the vertical data migration between the tertiary, secondary, and primary storage in that it reconciles

speculative prefetching, to mask the high latency of the tertiary storage, with the replacement policy of the document caches at the secondary and primary storage level, and also considers the interaction of these policies with ...

Keywords: Caching, Markov chains, Performance, Prefetching, Scheduling, Stochastic modeling, Tertiary storage

4 Session summaries from the 17th symposium on operating systems principle (SOSP'99)



Jay Lepreau, Eric Eide

April 2000 ACM SIGOPS Operating Systems Review, Volume 34 Issue 2

Full text available: pdf(3.15 MB)

Additional Information: full citation, index terms

5 A hierarchical fair service curve algorithm for link-sharing, real-time, and priority services



Ion Stoica, Hui Zhang, T. S. Eugene Ng

April 2000 IEEE/ACM Transactions on Networking (TON), Volume 8 Issue 2

Full text available: pdf(278.75 KB) Additional Information: full citation, references, citings, index terms

Keywords: fairness, link-sharing, packet scheduling, quality of service (QoS), real-time

6 A hierarchical fair service curve algorithm for link-sharing, real-time and priority services



Ion Stoica, Hui Zhang, T. S. Eugene Ng


October 1997 ACM SIGCOMM Computer Communication Review, Proceedings of the ACM SIGCOMM '97 conference on Applications, technologies, architectures, and protocols for computer communication, Volume 27 Issue 4

Full text available: pdf(2.35 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

In this paper, we study hierarchical resource management models and algorithms that support both link-sharing and guaranteed real-time services with decoupled delay (priority) and bandwidth allocation. We extend the service curve based QoS model, which defines both delay and bandwidth requirements of a class, to include fairness, which is important for the integration of real-time and hierarchical link-sharing services. The resulting *Fair Service Curve link-sharing* model formalizes the go ...

⁷ Enabling scalable online personalization on the Web



October 2000 Proceedings of the 2nd ACM conference on Electronic commerce

Full text available: pdf(491.69 KB) Additional Information: full citation, references, citings, index terms

Keywords: dynamic profiling, e-commerce, online personalization, user behavior

8

A survey of routing techniques for mobile communications networks

S. Ramanathan, Martha Steenstrup
October 1996 Mobile Networks and Applications, Volume 1 Issue 2

Full text available: pdf(276.88 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

Mobile wireless networks pose interesting challenges for routing system design. To produce feasible routes in a mobile wireless network, a routing system must be able to accommodate roving users, changing network topology, and fluctuat- ing link quality. We discuss the impact of node mobility and wireless communication on routing system design, and we survey the set of techniques employed in or proposed for routing in mobile wireless networks.

9 A reliable multicast framework for light-weight sessions and application level framing Sally Floyd, Van Jacobson, Steve McCanne, Ching-Gung Liu, Lixia Zhang October 1995 ACM SIGCOMM Computer Communication Review, Proceedings of the conference on Applications, technologies, architectures, and protocols for computer communication, Volume 25 Issue 4

Full text available: pdf(1.67 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This paper describes SRM (Scalable Reliable Multicast), a reliable multicast framework for application level framing and light-weight sessions. The algorithms of this framework are efficient, robust, and scale well to both very large networks and very large sessions. The framework has been prototyped in wb, a distributed whiteboard application, and has been extensively tested on a global scale with sessions ranging from a few to more than 1000 participants. The paper describes the principles tha ...

10 Client-server computing in mobile environments

Jin Jing, Abdelsalam Sumi Helal, Ahmed Elmagarmid June 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 2

Full text available: pdf(233.31 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>, <u>review</u>

Recent advances in wireless data networking and portable information appliances have engendered a new paradigm of computing, called mobile computing, in which users carrying portable devices have access to data and information services regardless of their physical location or movement behavior. In the meantime, research addressing information access in mobile environments has proliferated. In this survey, we provide a concrete framework and categorization of the various way ...

Keywords: application adaptation, cache invalidation, caching, client/server, data dissemination, disconnected operation, mobile applications, mobile client/server, mobile compuing, mobile data, mobility awareness, survey, system application

11 Variations on UNIX for parallel-processing computers

Channing H. Russell, Pamela J. Waterman

December 1987 Communications of the ACM, Volume 30 Issue 12

Full text available: pdf(1.99 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>, <u>review</u>

Porting a familiar UNIX environment to today's parallel-processing computers is challenging, but options abound.

12 Automated hoarding for mobile computers

Geoffrey H. Kuenning, Gerald J. Popek

October 1997 ACM SIGOPS Operating Systems Review , Proceedings of the sixteenth

ACM symposium on Operating systems principles, Volume 31 Issue 5 Additional Information: full citation, references, citings, index terms

Full text available: pdf(2.05 MB)

¹³ A reliable multicast framework for light-weight sessions and application level framing Sally Floyd, Van Jacobson, Ching-Gung Liu, Steven McCanne, Lixia Zhang

December 1997 IEEE/ACM Transactions on Networking (TON), Volume 5 Issue 6

Full text available: pdf(310.74 KB) Additional Information: full citation, references, citings, index terms, review

Keywords: Internetworking, computer network performance, computer networks

14 Third Generation Computer Systems

Peter J. Denning

December 1971 ACM Computing Surveys (CSUR), Volume 3 Issue 4

Full text available: pdf(3.52 MB)

Additional Information: full citation, abstract, references, citings, index terms

The common features of third generation operating systems are surveyed from a general view, with emphasis on the common abstractions that constitute at least the basis for a "theory" of operating systems. Properties of specific systems are not discussed except where examples are useful. The technical aspects of issues and concepts are stressed, the nontechnical aspects mentioned only briefly. A perfunctory knowledge of third generation systems is presumed.

15 Distributed operating systems

Andrew S. Tanenbaum, Robbert Van Renesse

December 1985 ACM Computing Surveys (CSUR), Volume 17 Issue 4

Full text available: pdf(5.49 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

16 Tracking graphics state for networked rendering

Ian Buck, Greg Humphreys, Pat Hanrahan

August 2000 Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on **Graphics hardware**

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> Full text available: pdf(354.74 KB) terms

As networks get faster, it becomes more feasible to render large data sets remotely. For example, it is useful to run large scientific simulations on remote compute servers but visualize the results of those simulations on one or more local displays. The WireGL project at Stanford is researching new techniques for rendering over a network. For many applications, we can render remotely over a gigabit network to a tiled display with little or no performance loss over running locally. One of t ...

Keywords: graphics state, networked rendering, remote rendering

17 4.2BSD and 4.3BSD as examples of the UNIX system

John S. Quarterman, Abraham Silberschatz, James L. Peterson December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Full text available: pdf(4.07 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms, review

This paper presents an in-depth examination of the 4.2 Berkeley Software Distribution, Virtual VAX-11 Version (4.2BSD), which is a version of the UNIX Time-Sharing System. There are notes throughout on 4.3BSD, the forthcoming system from the University of California at Berkeley. We trace the historical development of the UNIX system from its conception in 1969 until today, and describe the design principles that have guided this development. We then present the internal data structures and ...

18 A class of compatible cache consistency protocols and their support by the IEEE futurebus

P. Sweazey, A. J. Smith

June 1986 ACM SIGARCH Computer Architecture News, Proceedings of the 13th annual international symposium on Computer architecture, Volume 14 Issue 2

Full text available: pdf(1.05 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

Standardization of a high performance blackplane bus, so that it can accommodate boards developed by different vendors, implies the need for a standardized cache consistency protocol. In this paper we define a class of compatible consistency protocols supported by the current IEEE Futurebus design. We refer to this class as the MOESI class of protocols; the term "MOESI" is derived from the names of the states. This class of protocols has the property that any system component ca ...

19 Workshop on compositional software architectures: workshop report May 1998 ACM SIGSOFT Software Engineering Notes, Volume 23 Issue 3

Full text available: pdf(2.91 MB) Additional Information: full citation, index terms

20 Effective use of Cray supercomputers

W. T. C. Kramer, J. M. Crawer

August 1989 Proceedings of the 1989 ACM/IEEE conference on Supercomputing

Full text available: pdf(1.37 MB)

Additional Information: full citation, references, index terms

Results 1 - 20 of 126 Result page: 1 2 3 4 5 6 7 next

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2004 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics</u> Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Subscribe (Full Service) Register (Limited Service, Free) Login

+weight +web +content +document +page +frequency +rece





Feedback Report a problem Satisfaction survey

Published before May 2001

Terms used

Found 8 of 111,964

weight web content document page frequency recency

Sort results by

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display expanded form Open results in a new results window

Results 1 - 8 of 8

Relevance scale

Predicting document access in large multimedia repositories

Margaret M. Recker, James E. Pitkow

December 1996 ACM Transactions on Computer-Human Interaction (TOCHI), Volume 3 Issue

Full text available: pdf(1.40 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Network-accessible multimedia databases, repositories, and libraries are proliferating at a rapid rate. A crucial problem for these repositories remains timely and appropriate document access. In this article, we borrow a model from psychological research on human memory, which has long studied retrieval of memory items based on frequency and recency rates of past item occurrences. Specifically, the model uses frequency and recency rates of prior document accesses to predict future document ...

Keywords: information access, user modeling

² Papers: A survey of web caching schemes for the Internet

October 1999 ACM SIGCOMM Computer Communication Review, Volume 29 Issue 5

Full text available: pdf(1.15 MB)

Additional Information: full citation, abstract, references, citings

The World Wide Web can be considered as a large distributed information system that provides access to shared data objects. As one of the most popular applications currently running on the Internet, the World Wide Web is of an exponential growth in size, which results in network congestion and server overloading. Web caching has been recognized as one of the effective schemes to alleviate the service bottleneck and reduce the network traffic, thereby minimize the user access latency. In this pap ...

³ A caching and streaming framework for mulitmedia

Shantanu Paknikar, Mohan Kankanhalli, K. R. Ramakrishnan, S. H. Srinivasan, Lek Heng Ngoh October 2000 Proceedings of the eighth ACM international conference on Multimedia

Full text available: pdf(642.08 KB) Additional Information: full citation, abstract, references, citings, index terms

In this paper, we explore the convergence of the caching and streaming technologies for Internet multimedia. The paper describes a design for a streaming and caching architecture to be deployed on broadband networks. The basis of the work is the proposed Internet

standard, Real Time Streaming Protocol (RTSP), likely to be the *de-facto* standard for webbased A/V caching and streaming, in the near future. The proxies are all managed by an `Intelligent Agent' or `Broker' - t ...

Keywords: broker, caching, hit ratio, layered coding, proxies, quality hit ratio, replacement policy, streaming

Evaluating content management techniques for Web proxy caches Martin Arlitt, Ludmila Cherkasova, John Dilley, Rich Friedrich, Tai Jin March 2000 ACM SIGMETRICS Performance Evaluation Review, Volume 27 Issue 4

Full text available: pdf(996.69 KB) Additional Information: full citation, abstract, index terms

The continued growth of the World-Wide Web and the emergence of new end-user technologies such as cable modems necessitate the use of proxy caches to reduce latency, network traffic and Web server loads. Current Web proxy caches utilize simple replacement policies to determine which files to retain in the cache. We utilize a trace of client requests to a busy Web proxy in an ISP environment to evaluate the performance of several existing replacement policies and of two new, parameterless replace ...

5 Internet Web servers: workload characterization and performance implications Martin F. Arlitt, Carey L. Williamson October 1997 IEEE/ACM Transactions on Networking (TON), Volume 5 Issue 5

Full text available: pdf(216.86 KB) Additional Information: full citation, references, citings, index terms, review

Keywords: World-Wide Web, caching, performance evaluation, workload characterization

Adaptive push-pull: disseminating dynamic web data

Pavan Deolasee, Amol Katkar, Ankur Panchbudhe, Krithi Ramamritham, Prashant Shenoy

April 2001 Proceedings of the tenth international conference on World Wide Web

Full text available: pdf(152.08 KB) Additional Information: full citation, references, citings, index terms

Keywords: World Wide Web, data dissemination, dynamic data, pull, push, resiliency, scalability, temporal coherency

⁷ Arguments in hypertext: a rhetorical approach
Locke M. Carter

May 2000 Proceedings of the eleventh ACM on Hypertext and hypermedia

Full text available: pdf(66.77 KB) Additional Information: full citation, references, citings, index terms

Keywords: argumentation, discourse, hypertext, rhetoric

Considering video characteristics for improved cache performance in VOD systems
 B. Sonah, M. R. Ito
 March 2001 Proceedings of the 2001 ACM symposium on Applied computing

Full text available: pdf(65.79 KB)

Additional Information: full citation, references, index terms

Results (page 1): + weight + web + content + document + page + frequenc... Page 3 of 3

Keywords: cache replacement policies, video-on-demand architectures

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2004 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player